

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5889996".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:47
S2	2	"5768593".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:48
S3	33	"5768593".URPN.	USPAT	OR	OFF	2004/07/29 15:47
S4	12	"5889996".URPN.	USPAT	OR	OFF	2004/07/29 15:48
S5	2	"5872978".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:51
S6	4	"5872978".URPN.	USPAT	OR	OFF	2004/07/29 15:50
S7	2	"4638423".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:52
S8	33	"4638423".URPN.	USPAT	OR	OFF	2004/07/29 15:51
S9	2	"5872978".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:54
S10	4	"5872978".URPN.	USPAT	OR	OFF	2004/07/29 15:52
S11	13	("5768593".URPN. or "5889996". URPN. or "4638423".URPN.) and (vm or jvm or (virtual adj machine)) and interpret\$3 and native and (loop\$3 or repeat\$3) and (memory or address\$3 or range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:28
S12	11216	(wat or (way near3 ahead) or awat or (away near3 ahead) or (ahead near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:29
S13	415	(wat or (way near3 ahead) or awat or (away near3 ahead) or (ahead near3 time)) and (java or bytecode or byte-code) and (compil\$5 or optimiz\$5 or optimis\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:30

S14	35	(wat or (way near3 ahead) or awat or (away near3 ahead) or (ahead near3 time)) and (java or bytecode or byte-code) and (compil\$5 or optimiz\$5 or optimis\$5) and 717/???ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:34
S15	264	(wat or (way near3 ahead) or awat or (away near3 ahead) or (ahead near3 time)) and (java or bytecode or byte-code) and (compil\$5 or optimiz\$5 or optimis\$5) and loop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:36
S16	6986480	way ahead of time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:35
S17	23527	(way ahead of time) and (java or bytecode or byte-code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:35
S18	264	(wat or (way near3 ahead) or awat or (away near3 ahead) or (ahead near3 time)) and (java or bytecode or byte-code) and (compil\$5 or optimiz\$5 or optimis\$5) and loop\$3 and (way ahead of time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:36
S19	315891	(way ahead of time).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:36
S20	0	((way adj ahead) near3 time).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:37
S21	4	((way adj ahead)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:37
S22	1	((away adj ahead)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:39

S23	0	toba and comil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:41
S24	0	aot and comil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:41
S25	28	aot and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:41
S26	20	toba and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:46
S27	320	717/140.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:46
S28	166	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:47
S29	130	717/160.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:47
S30	8	(compil\$5 near3 native) same loop\$3 and (jvm or vm or bytecode or byte-code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 13:50
S31	1	"5768593".pn. and loop\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 13:46
S32	1	"5768593".pn. and loop\$3 and execut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/05 13:47

S33	0	(compil\$5 near3 native) same loop\$3 and (backward near2 loop\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:51
S34	2	(compil\$5 near3 native) same loop\$3 and (backward near2 branch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:52
S35	2	(compil\$5 near3 native) same loop\$3 and (conditional near2 branch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 13:53
S36	7	("5768593" "4638423" "6292883" "9298434").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/16 14:58
S37	39	("5768593").URPN.	USPAT	OR	OFF	2005/05/16 15:03
S38	0	("5768593").URPN. and ("directly executing" or "on the fly" or "execute immediately")	USPAT	OR	OFF	2005/05/16 15:04
S39	0	emmulat\$3 near5 (without near3 stor\$3)	USPAT	OR	OFF	2005/05/16 15:05
S40	21	emulat\$3 near5 (without near3 stor\$3)	USPAT	OR	OFF	2005/05/16 15:08
S41	451	execut\$3 near5 (without near3 stor\$3)	USPAT	OR	OFF	2005/05/16 15:08
S42	129	virtual and execut\$3 near5 (without near3 stor\$3)	USPAT	OR	OFF	2005/05/16 15:09
S43	97	virtual and (translat\$3 or transform\$3 or generat\$3) and execut\$3 near5 (without near3 stor\$3)	USPAT	OR	OFF	2005/05/16 15:11
S44	119	virtual and (translat\$3 or transform\$3 or generat\$3) and execut\$3 near5 (without near3 stor\$3)	USPAT	OR	OFF	2005/05/16 15:11
S45	23	virtual and (translat\$3 or transform\$3 or generat\$3) and execut\$3 near5 (without near3 stor\$3) and (vm or jvm or jit or jitt\$3 or ("virtual machine")	USPAT	OR	OFF	2005/05/16 15:25
S46	15542	virtual and (translat\$3 or transform\$3 or generat\$3) and stream\$3	USPAT	OR	OFF	2005/05/16 15:26

S47	6328	virtual and (translat\$3 or transform\$3 or generat\$3) same stream\$3	USPAT	OR	OFF	2005/05/16 15:26
S48	9	(translat\$3 or transform\$3 or generat\$3) same stream\$3 same "without storing"	USPAT	OR	OFF	2005/05/16 15:27
S49	562	(translat\$3 or transform\$3 or generat\$3) same stream\$3 near3 instructions	USPAT	OR	OFF	2005/05/16 15:27
S50	52	(translat\$3 or transform\$3 or generat\$3) same stream\$3 near3 instructions and (vm or jvm or jit or jitt\$3 or ("virtual machine"))	USPAT	OR	OFF	2005/05/16 15:28
S51	6	("5586328").PN. OR ("5872978").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/16 15:32